

Superheroes come in all sizes.


NOAAFISHERIES

West Coast Region

Daniel Logan Fishery Biologist Santa Rosa













Stratum Name	Recovery Target				
North Coastal	8,900				
Interior	17,200				
Coastal San Francisco Bay	5,900				
Interior San Francisco Bay	17,900				
Santa Cruz Mountains	12,200				
Recovery Target	62,100				



Interior San Francisco Bay Diversity Stratum								
	Spawner							
Stream Name	Abundance							
	Target							
Alameda Creek	2,900							
Cordornices Creek	N/A							
Coyote Creek	3,000							
Green Valley/Suisun Creek	2,100							
Napa River	4,700							
Petaluma River	2,100							
Pinole Creek	N/A							
San Leandro Creek	31-64							
San Lorenzo Creek	110-221							
San Pablo Creek	49-100							
Sonoma Creek	3,100							
Wildcat Creek	N/A							
Recovery Target	17,900							





Native fish species collected annually in the Napa River rotary screw trap from 2009 through 2016. [Napa RCD]										
Common Name	Scientific Name	2009	2010	2011	2012	2013	2014	2015	2016	Total
Steelhead / Rainbow trout	Oncorhynchus mykiss									
Fry / Parr (<130 mm)		941	94	7	152	3,025	303	35	11	4,568
Smolt (>130mm)		119	251	175	160	77	31	34	64	911
Adult or Resident (>300 mm)		0	3	4	0	3	0	0	3	13
Chinook Salmon	Oncorhynchus tshawytscha									
Parr / Smolt		1	1,520	7,377	488	19	0	0	580	9,985







Early 1800s



Channel modification





Channels with accessible floodplains have limited increases in stage height and stream velocity with increasing/higher flows.








The Food is on the Floodplain






Bug Density Across Habitats



Canal

River

Floodplain



- Knagys - Sac River - Toe Drain

River Station 36+00, Reach 8 South, Bella Oaks Tributary Alcove: Upstream to Downstream
























Keep up the good work!!